



Check for updates

<https://www.doi.org/10.33910/2686-9519-2022-14-3-426-435>
<http://zoobank.org/References/d20f279b-89c3-47ca-8619-61a04b368d58>

UDC 595.797

The aculeate Hymenoptera in the collection of the Institute of Zoology of the National Academy of Science of Azerbaijan, Baku: Wasps of the family Sphecidae (Hymenoptera, Aculeata)

A. A. Mammadov

Institute of Zoology, National Academy of Sciences of Azerbaijan, Passage 1128, District 504,
AZ 1073, Baku, Azerbaijan

Author

Aydin A. Mammadov
E-mail: snegovaya@yahoo.com
ORCID: 0000-0002-7469-0126

Abstract. The collection of the Institute of Zoology of the National Academy of Sciences of Azerbaijan (Baku) features wasps of the family Sphecidae represented by 34 species from 9 genera. Of these, 11 species were first recorded in the fauna of Azerbaijan: *Chalybion flebile* Lepeletier de Saint Fargeau, 1845; *Sceliphron madraspatanum* (Fabricius, 1781); *Prionyx lividocinctus* (A. Costa, 1858); *P. haberhaueri* (Radoszkowski, 1871); *P. subfuscatus* (Dahlbom, 1845); *Podalonia caucasica* (Mocsary, 1883); *P. tydei* Le Guillou 1841; *Ammophila terminata* (F. Smith, 1856); *A. campestris* (Latreille, 1809); *A. occipitalis* (F. Moravitz, 1880); and *A. gracillima* Taschenberg, 1869. In total, the collection contains 34 wasp species, of which 34 are from Azerbaijan, 15 from Iran and 1 from Russia. Data on the general geographic distribution are given for each species.

Copyright: © The Author (2022).
Published by Herzen State Pedagogical University of Russia. Open access under
CC BY-NC License 4.0.

Keywords: Sphecidae, Azerbaijan, fauna, distribution, species

Жалящие перепончатокрылые в коллекции Института зоологии Национальной академии наук Азербайджана, Баку. Осы семейства Sphecidae (Hymenoptera, Aculeata)

А. А. Мамедов

Институт зоологии НАН Азербайджана, проезд 1128, квартал 504, AZ 1073, Баку, Азербайджан

Сведения об авторе

Мамедов Айдын Алекпер оглы
E-mail: snegovaya@yahoo.com
ORCID: 0000-0002-7469-0126

Аннотация. Осы семейства Sphecidae в коллекции Института зоологии НАН Азербайджана представлены 34 видами из 9 семейств. Из них 11 видов — *Chalybion flebile* Lepeletier de Saint Fargeau, 1845, *Sceliphron madraspatanum* (Fabricius, 1781), *Prionyx lividocinctus* (A. Costa, 1858), *P. haberhaueri* (Radoszkowski, 1871), *P. subfuscatus* (Dahlbom, 1845), *Podalonia caucasica* (Mocsary, 1883), *P. tydei* Le Guillou 1841, *Ammophila terminata* (F. Smith, 1856), *A. campestris* (Latreille, 1809), *A. occipitalis* (F. Moravitz, 1880), *A. gracillima* Taschenberg, 1869 отмечаются впервые для фауны Азербайджана. В целом коллекция содержит 34 вида ос-специд, из которых 34 отмечаются с территории Азербайджана, 15 из Ирана и 1 вид с территории России. Для каждого вида приводятся данные по распространению.

Права: © Автор (2022). Опубликовано Российской государственным педагогическим университетом им. А. И. Герцена. Открытый доступ на условиях лицензии CC BY-NC 4.0.

Ключевые слова: Sphecidae, Азербайджан, фауна, распространение, виды

Introduction

Thread-waisted wasps, or sphecid wasps, are the biggest family of stinging hymenopterans comprising of approximately 8,000 species across the globe. As entomophages, thread-waisted wasps hold an important role in nature, helping regulate numbers of many species of insects and spiders, often noticeably lowering the number of agricultural and wood pests, or even insects holding a negative veterinary or medical status. Only a handful of species of sphecid wasps cause harm, targeting useful insects and spiders: pollinators and entomophages (Kazenas 1998).

The number of taxa in the family Sphecidae: 19 genera and 779 species in the world (Antropov et al. 2017), 13 (260) in the Palaearctic (Antropov et al. 2017), and 9 (27) in Azerbaijan (Maharamov et al. 2020).

This paper presents an annotated list of the species of Sphecidae present in the collection of the Institute of Zoology of the National Academy of Sciences of Azerbaijan, Baku. The material comes from the entire territory of Azerbaijan, as well as Russia and Iran. The species newly reported from Azerbaijan are marked with an asterisk (*).

Results

Family Sphecidae

Subfamily SCELIPHRINAE

Genus *Chalybion* Dahlbom, 1843

1. *Chalybion femoratum* (Fabricius, 1781)

Chalybion (Hemichalybion) femoratum (Fabricius, 1781): Maharamov, Mokrousov, Proshchalykin 2020: 45

Material: 8♂, Lenkoran, 13.05, 13.06, 16.06, 13.07, 16.07.1929, E. Selivanchik; 1♀, Yevlakh, 2.06.1938, E. Hauser; 1♀, Yevlakh, 10.07.1939, A. Bogachev; 2♀, Ganja, 19.07.1933, on dill flowers, M. Vinovsky; 1♀, 1♂, Evlakh, Malbinasi Distr., 10.08.1931, A. Bogachev; 1♀, Goradiz fl. Arazis, 22.07.1941, N. Yakovleva; 1♀, Mil's Sovkhoz No. 4, 15.09.1937, A. Bogachev; 1♂, 5.08.1932, in the steppe, M. Vinovsky; 2♀, 5-6.08.2016, Garyagdy, A. Mammadov; 1♂, 5.05.2017, Baku, Botanical Garden, A. Mammadov; 1♂, 19.04.2017,

Baku, Botanical Garden, M. Rubtsova; 1♂, 2♀, 25.04.2017, Zoology Institute, M. Rubtsova.

Distribution: Italy, France, Hungary, Spain, Croatia, Kazakhstan, Greece, Albania, Switzerland, Romania, Slovakia, Yugoslavia, Bulgaria, Turkmenistan, Turkey, Afghanistan, Uzbekistan, Austria, Portugal, Iran, Azerbaijan (Pulawski 2022).

Remarks. Previously reported in Azerbaijan from Nakhchivan (Maharamov, Mokrousov, Proshchalykin 2020).

2. *Chalybion flebile* (Lepeletier de Saint Fargeau, 1845)

Material: 1♀, 19.06.2016, Mingechevir, Bozgurlar, A. Mammadov.

Distribution: Iraq, *Azerbaijan, Turkey, Greece, Italy, Egypt, Saudi Arabia, Iran, France, UAE, Jordan, Morocco, Oman, Spain, Syria, Tunisia, Algeria, Libya, Cyprus, Kazakhstan, and Portugal (Augul 2019).

Remarks. Recorded as new for the fauna of Azerbaijan.

3. *Chalybion walteri* (Kohl, 1889)

Chalybion walteri: Hensen 1988: 60

Chalybion (Chalybion) walteri (Kohl, 1889): Maharamov et al. 2020: 45

Material: 7♀, Ganja, 24.06, 24.05, 12.06, 19.06, 29.06.1933, on dill flowers, M. Vinovsky, 9♀, 2♂, Ganja, 8-9.06.1932, M. Vinovsky; 1♀, Ganja, 25.06.1926, Bocharnikov.

Distribution: Russia, Turkmenistan, Tajikistan, Iran, Turkey, Kazakhstan, Uzbekistan, Syria, Greece, Egypt, Jordan, Kyrgyzstan, Azerbaijan* (Pulawski 2022).

Remarks. Previously reported in Azerbaijan from Nakhichevan (Hensen 1988; Maharamov et al. 2020).

Genus *Sceliphron* Klug, 1801

4. *Sceliphron arabs* (Lepeletier de Saint Fargeau, 1845)

Sceliphron arabs: van der Vecht, van Breugel 1968: 233

Sceliphron (Sceliphron) arabs (Lepeletier de Saint Fargeau 1845): Maharamov et al. 2020: 46

Material: 5♀, Ganja, 26.06, 15–29.07, M. Vinovsky; ♀, Vartashen (now Oguz), 27.07.1935, A. Bogachev; 1♀, Ganja, Goy-Gol, 7.08.1939, A. Bogachev.

Distribution: Iran, Iraq, Turkey, Azerbaijan, Syria (Pulawski 2022).

Remarks. Previously reported in Azerbaijan from Jewlakh and Nakhchivan (van der Vecht, van Breugel 1968; Maharramov et al. 2020).

5. *Sceliphron destillatorium* (Illiger, 1807)

Sceliphron destillatorium: Alieva, Humbatov 2007: 77

Sceliphron (Sceliphron) destillatorium (Illiger, 1807): Maharramov et al. 2020: 46

Material: 1♀, Lenkoran, 10, 16.06.1929, M. Vinovsky; 6♀, Ganja, 11, 12.06, 4.07.1933, on Euphorbia, in the garden, M. Vinovsky; 4♀, Ganja, 23.06, 1.07.1932, M. Vinovsky; 3♀, Massaly Distr., Yeddy Bulag, 9, 21.07, 6.08.1936, M. Vinovsky; 1♂, Goygol Distr., Khanlar (now Goygol), 12.08.1955, A. Bogachev; 2♀, Samukh, Karaagachly, 31.05.1935, on Euphorbia, A. Bogachev; 1♀, Vartashen (now Oguz), 24.07.1935, A. Bogachev; 1♀, Kurd Mahmudly Distr., Karyagino (now Fuzuli), 3.05.1929; 1♀, Gaurarkh Persia, Mugan, 19.06.1927, Bocharnikov; 1♀, Lenkoran Distr., Astrakhanika, 17.06.1927, Bocharnikov; 1♀, Absheron, Baku, Shuvelyan, 5.08.1945, D. Bibally; 2♀, Lenkoran, 10, 16.06.1929; 1♂, 7.06.2014, Absheron, Merdekan, A. Mammadov.

Distribution: Russia, Croatia, Germany, Austria, Czech Republic, Slovakia, Poland, Italy, Ukraine, Austria, France, Romania, Hungary, Switzerland, Spain, Croatia, Slovenia, Macedonia, Serbia, Albania, Montenegro, Bulgaria, Portugal, Greece, Malta, Azerbaijan, Georgia, Turkey, Syria, Israel, Iran, Afghanistan, Turkmenistan, Tajikistan, Uzbekistan, Kyrgyzstan, Kazakhstan, Mongolia, China, Jordan, Tunisia, Morocco, Algeria, Israel (Pulawski 2022).

Remarks. Previously reported in Azerbaijan from Absheron and Nakhchivan (Alieva, Humbatov 2007; Maharramov et al. 2020).

6. *Sceliphron madraspatanum* (Fabricius, 1781)

Material: Azerbaijan, 1♀, Mil's steppe, 9.06.1934, A. Bogachev; 2♀, Mugan, Djafarkhan, 2.10.1927, Bocharnikov; 1♀, Mugan, Djafarkhan, 18.08.1940, A. Bogachev; 1♀, Mil's Sovkhoz No. 4, 15.09.1937, A. Bogachev; 2♀, Yevlakh Distr., Malbinasi, 29.07.1931, A. Bogachev; 3♀, 2♂, Ganja, 4–26.07.1933, in a ditch, M. Vinovsky; 1♀, Mingechaur,

22.08.1933, in the gallery, B. Lototsky; 1♂, Yevlakh, 2.06.1938, E. Hauser; 1♀, 1♂, Lenkoran Distr., Yeddi Qimag, 6–21.07.1936, M. Vinovsky; 2♀, Yevlakh distr., Malbinasi, 26, 29.08.1931, A. Bogachev; 1♂, Yevlakh, 20.06.1938, on the Tamarix, A. Bogachev; 1♀, Mugan, Djafafrkhan, 2.10.1927, Bocharnikov. **Distribution:** Russia, Turkey, Syria, Israel, Iraq, Iran, *Azerbaijan, Afghanistan, Pakistan, Kazakhstan, Uzbekistan, Tajikistan, Turkmenistan, China, Korean Peninsula, Japan, SE Asia, India, Indonesia, Malaysia, Philippines, Thailand, Vietnam, Sri Lanka, Laos, Bangladesh, Saudi Arabia, United Arab Emirates, Oman, Cameron, Tibet, Nepal, Taiwan, Pakistan, France, Greece, Ukraine, Bulgaria, Croatia, Italy, Montenegro (Pulawski 2022).

Remarks. Recorded as new for the fauna of Azerbaijan.

Subfamily SPHECINAE

Genus *Sphex* Linnaeus, 1758

7. *Sphex atropilosus* Kohl, 1885

Sphex atropilosus Kohl, 1885: Maharramov et al. 2020: 46

Material: 1♀, Absheron, Baku, on the road to Balakhany, 17.07.1933, while flying, M. Vinovsky; 4♀, Ganja, 28, 29.05., 9, 21.06.1933, M. Vinovsky; Samukh, 1♂, Eldar Poily, 30.04.1935, A. Bogachev; 2♀, Persia, Ungut-Mugan, 19, 21.06.1927, Bocharnikov.

Distribution: Russia, Romania, France, Spain, Greece, Portugal, Hungary, Czech Republic, Slovakia, Turkey, Azerbaijan, Turkmenistan, Tajikistan, Kazakhstan (Pulawski 2022).

Remarks. Previously reported in Azerbaijan from Nakhchivan (Maharramov et al. 2020).

8. *Sphex flavipennis* Fabricius, 1793

Sphex flavipennis Fabricius, 1793: Maharramov et al. 2020: 46

Material: 1♀, Persia, Altan, Ungut-Mugan, 21.06.1927, Bocharnikov; 1♂, 4♀, Ganja, 19, 21, 25.06., 3, 9.07.1933, M. Vinovsky; Agdash, Turian-Chay Reserve, 6.08.1984, H. Aliev.

Distribution: Russia, Italy, Croatia, France, UK, Hungary, Spain, Bulgaria, Macedonia, Romania, Ukraine, Portugal, Georgia, Turkey, Syria, Israel, Iran, Azerbaijan, Afghanistan, Tajikistan, Kazakhstan, Turkmenistan,

Uzbekistan, China, Arabian Peninsula, Algeria, Tunisia, Egypt, Libya, Morocco (Pulawski 2022).

Remarks. Previously reported in Azerbaijan from Nakhchivan (Maharramov et al. 2020).

9. *Sphex funerarius* Gussakovskij, 1934

Sphex funerarius Gussakovskij, 1934: Maharramov et al.: 46

Material: 6♀, Ganja, 28, 30.06, 19.08.1933, Ganja, M. Vinovsky; 2♀, Lerik, Gilidara, 27.07.1976, H. Aliev; 1♀, Lerik, Kalakhan, 24.07.1976, H. Aliev; 1♀, Persia, Taza-kend, 17.08.1927, Bocharnikov; 1♀, Absheron, Mardakyan, 14.08.2016, A. Mammadov; 1♀, Nakhchivan, Agdere, 21.07.2017, N. Snegovaya.

Distribution: Russia, Germany, Italy, Croatia, Austria, Ukraine, Hungary, Switzerland, Spain, Slovenia, France, Greece, Albania, Bulgaria, Romania, Portugal, Poland, Czech Republic, Slovakia, Slovenia, Georgia, Turkey, Syria, Israel, Iran, Azerbaijan, Afghanistan, Turkmenistan, Tajikistan, Uzbekistan, Kyrgyzstan, Kazakhstan, Mongolia, China, Algeria, Tunisia, Libya (Pulawski 2022).

Remarks. Previously reported in Azerbaijan from Nakhchivan (Maharramov et al. 2020).

10. *Sphex leuconotus* Brullé, 1833

Sphex pachysoma Kohl 1890: 436

Sphex leuconotus: Dollfuss 2008: 1427

Sphex leuconotus Brullé, 1833: Maharramov et al. 2020: 46

Material: 1♂, 2♀, Ganja, 8.06, 6, 19.08.1933, M. Vinovsky; 4♀, 10♂, Mil's steppe, 9–14.06.1934, A. Bogachev; 9♀, Mingachaur, 22–31.08.1933, B. Lototsky; 1♂, Lerik, Chokara, 27.07.1976, H. Aliev; 1♀, Goradiz, Araxetu, 14.07.1941, N. Yakovleva; 5♂, 2♀, 7–21.06., 21.07, 17.08, 21.10.1927, Bocharnikov; 1♂, Kirovabad (now Ganja), 15.06.1932, M. Vinovsky; 1♀, Masally, seed's sowing, 10.05.1949, Samedov; 2♀, Nakhchivan, 29.04, 4.05.1933; 1♀, Zakataly, Sylumant, 6.07.1933, A. Bogachev; 1♀, Kurd-Mahmudly village, Karyagyn Distr. (now Fuzuli), 12.04.1929, E. Yelistratova.

Distribution: Russia, Greece, Bulgaria, Italy, Spain, Ukraine, Romania, Azerbaijan, Turkey, Syria, Jordan, Israel, Iraq, Iran, Afghanistan, Central Asia, Kazakhstan, Kyrgyzstan, Tajiki-

stan, Turkmenistan, Uzbekistan (Pulawski 2022).

Remarks. Previously reported in Azerbaijan from Kilyazi, Kuba, Acinohur and Nakhchivan (Kohl 1890; Dollfuss 2008; Maharramov et al. 2020).

11. *Sphex pruinosus* Germar, 1817

Sphex pruinosus Germar, 1817: Maharramov et al. 2020: 46

Material: 1♂, Persia (now Iran), Tezekend, Ungut-Mugan, 17.08.1927, Bocharnikov; 1♀, Ganja, 4.06.1934, in the garden on flowers, M. Vinovsky; 2♀, Ganja, 17, 19.08.1933, on the *Eryngium* sp., M. Vinovsky; 1♂, Persia (now Iran), Altan, Ungut-Mugan, 21.06.1927, Bocharnikov; 7♂, 27.06, 1.08–19.08.1933, M. Vinovsky; 1♂, Ganja, 1.08.1932, in the garden, M. Vinovsky; 1♂, Zakataly Distr., Chekan, 13.08.1929; 1♀, Mingechevir, 29.08.2014, H. Aliev.

Distribution: Russia, Croatia, France, Greece, Spain, Malta, Italy, Portugal, Albania, Bulgaria, Turkey, Syria, Lebanon, Israel, Yemen, Iran, Azerbaijan, Afghanistan, Pakistan, Turkmenistan, Tajikistan, Uzbekistan, Kyrgyzstan, Kazakhstan, India, Oman, United Arab Emirates, Libya, Algeria, Egypt, Tunisia, Morocco, Ethiopia (Pulawski 2022).

Remarks. Previously reported in Azerbaijan from Nakhchivan (Maharramov et al. 2020).

Genus *Palmodes* Kohl, 1890

12. *Palmodes melanarius* (Mocsary, 1883)

Material: 2♂, Mil's steppe, 12.06.1934, A. Bogachev; 1♂, Saljany Distr., Chormandal, 07.1930.; 1♂, Barda, Malbinasy Distr., 2.09.1931.

Distribution: Russia, Spain, Greece, Portugal, Ukraine, Georgia, Azerbaijan, Turkey, Syria, Iraq, Iran, Kazakhstan, Turkmenistan, Tajikistan, Kyrgyzstan, Uzbekistan, China, Algeria, Morocco, Libya India (Pulawski 2022).

13. *Palmodes occitanicus* (Lepeletier de Saint Fargeau and Audinet-Serville, 1828)

Palmodes occitanicus (Lepeletier de Saint Fargeau et Serville 1828): Maharramov et al. 2020: 46

Material: 1♀, environs of Lenkoran, 22.06.1929, in the garden, E. Selivanchik; 2♀, Ganja, 21.06, 1.07.1932, in the garden, M. Vinovsky; 1♂, Altan, Persia (now Iran), Ungut-

Mugan, 21.06.1927, Bocharnikov; 1♀, Lerik, Galabin, 21.07.1976, H. Aliev; 2♀, Barda, Malbinasy, 24, 28.08.1931, A. Bogachev.

Distribution: Russia, France, Hungary, Italy, Romania, Greece, Albania, Portugal, Macedonia, Slovakia, Ukraine, Spain, Bulgaria, Croatia, Slovenia, Turkey, Syria, Israel, Iran, Azerbaijan, Central Asia, Kazakhstan, Tajikistan, Turkmenistan, Uzbekistan, Mongolia, China, Croatia, Korean Peninsula, Algeria, Morocco, Egypt (Pulawski 2022).

Remarks. Previously reported in Azerbaijan from Nakhchivan (Maharramov et al. 2020).

14. *Palmodes strigulosus* (A. Costa, 1861)

Palmodes strigulosus (A. Costa, 1861): Maharramov et al. 2020: 46

Material: 1♀, Mil's steppe, 12.06.1934, A. Bogachev.

Distribution: Russia, Ukraine, Georgia, Armenia, Azerbaijan, Turkey, Syria, Israel, Iran, Iraq, Turkmenistan, Tajikistan, Kyrgyzstan, Kazakhstan, Spain, Portugal, Greece, Algeria, Morocco, Libya (Pulawski 2022).

Remarks. Previously reported in Azerbaijan from Nakhchivan (Maharramov et al. 2020).

Genus *Prionyx* Vander Linden 1827

15. *Prionyx haberhaueri* (Radoszkowski, 1871)

Material: 1♂, Kirovabad (now Ganja), 17.07.1933, M. Vinovsky.

Distribution: Turkey, Israel, Iran, *Azerbaijan, Turkmenistan, Uzbekistan, Afghanistan, Tajikistan, Kyrgyzstan, Kazakhstan (Danilov 2012).

Remarks. Recorded as new for the fauna of Azerbaijan.

16. *Prionyx subfuscatus* (Dahlbom, 1845)

Material: 3♂, 1♀, Persia (now Iran), Altan, Ungut-Mugan, 30.05, 1, 12.06.1927, Bocharnikov; 1♀, Samukh, Eldar-Poily, 13.05.1935, on the Euphorbia, A. Bogachev; 1♀, Agdjabedy, 7.06.1934, A. Bogachev.

Distribution: Russia, Croatia, Italy, Spain, France, Portugal, Czech Republic, Albania, Romania, Ukraine, Hungary, Germany, Georgia, *Azerbaijan, Turkey, Israel, Iran, Kazakhstan, Turkmenistan, Tajikistan, Uzbekistan, Mongolia, China, Oman, United Arab Emir-

ates, Korean Peninsula, India, Algeria, Ethiopia, Libya, Morocco, Egypt (Pulawski 2022).

Remarks. Recorded as new for the fauna of Azerbaijan.

17. *Prionyx kirbii* (Vander Linden, 1827)

Prionyx kirbii (Vander Linden, 1827): Maharramov et al. 2020: 46

Material: 1♂, Mil's steppe, 14.06.1934, A. Bogachev; 2♂, Ungut-Mugan, Persia (now Iran), 21, 28.06.1927, Bocharnikov; 1♂, Mugan, Gjafarkhan, 22.09.1927, Bocharnikov; 3♂, 1♀, Ganja, Ganja-river, 10.06., 8.08.1933, M. Vinovsky; 1♂, a steppe road to Bolchaly village, 17.07.1933, M. Vinovsky; 1♀, Baku, 6.07.1935, Tertyshnikov; 1♂, Karaagachaly, 1.06.1935, A. Bogachev; 2♂, Ganja, 30, 31.07.1932, in the garden, M. Vinovsky; 1♂, Zakataly, Muganly, 26.06.1939, A. Bogachev; 1♂, Baku, Mardakan, 30.06.1939, A. Bogachev; 1♀, Kara-Yeri, Ganja Distr., 3.06.1922, on flowers, M. Vinovsky; 1♀, 5.09.2016, Absheron, Mardakan, A. Mammadov; 1♀, 19.07.2016, Zikh, A. Mammadov; 6♀, 3♂, 14.08.2016, Mardakan, A. Mammadov.

Distribution: Russia, France, Spain, Romania, Greece, Malta, Italy, Hungary, Portugal, Bulgaria, Czech Republic, Ukraine, Austria, Belarus, Croatia, Slovakia, Georgia, Azerbaijan, Turkey, Syria, Israel, Iran, Iraq, Kazakhstan, Tajikistan, Kyrgyzstan, Turkmenistan, China, Egypt, Syria, Algeria, United Arab Emirates, Congo (Pulawski 2022).

Remarks. Previously reported in Azerbaijan from Nakhchivan (Maharramov et al. 2020).

18. *Prionyx lividocinctus* (A. Costa, 1858)

Material: 4♀, 1♂, Mil's steppe, 12, 14, 15.06.1934, A. Bogachev; 1♂, Persia (now Iran), Altan, Ungut-Mugan, 21.06.1927, Bocharnikov.

Distribution: Russia, Italy, Spain, France, Greece, Bulgaria, Morocco, Libya, Egypt, Turkey, *Azerbaijan, Tajikistan, Kazakhstan, Uzbekistan, Turkmenistan, Kyrgyzstan, Mongolia, China, Iran (Pulawski 2022).

Remarks. Recorded as new for the fauna of Azerbaijan.

19. *Prionyx macula lugens* Kohl, 1889

Material: 1♀, Kurd-Mahmudly, 17.06.1927, Bochanikov; 1♀, Persia (now Iran), Altan, Un-

gut-Mugan, 21.06.1927, Bocharnikov; 1♀, Yevlakh, 15.06.1940, A. Bocharnikov; 1♀, Ganja, a steppe road to Bolchaly village, 20.07.1933, M. Vinovsky; 2♀, Samukh, Karaagachly, Alazan river, 4, 13.06.1935, A. Bogachev; 1♀, Lerik, Lalakeran, 19.07.1985, H. Aliev.

Distribution: Israel, Saudi Arabia, Iraq, Iran, Armenia, Azerbaijan, Turkmenistan, Uzbekistan, Afghanistan, Tajikistan, Kazakhstan, Egypt, Libya, Algeria, Kenya (Danilov 2012).

20. *Prionyx viduatus* (Christ, 1791)

Prionyx viduatus mocsaryi (Kohl, 1885): Maharramov et al. 2020: 46

Material: 3♀, Persia (now Iran), Ungut-Mugan, Gaurarkh, 1, 21, 29.06.1927, Bocharnikov; 1♀, steppe Turut, 12.06.1940, A. Bogachev.

Distribution: Russia, France, Spain, Portugal, Greece, Turkey, Israel, Iran, Azerbaijan, Afghanistan, Kazakhstan, Turkmenistan, Tajikistan, China, Mongolia, Japan, India, Sri Lanka, Yemen, Taiwan, Cameroon, Morocco, Egypt, Ethiopia, Tunisia, Zaire, Somalia, Algeria, Libya, Saudi Arabia, United Arab Emirates (Pulawski 2022).

Remarks. Previously subspecies *Prionyx viduatus mocsaryi* (Kohl, 1885) reported in Azerbaijan from Nakhchivan (Maharramov et al. 2020).

Genus *Isodontia* Patton, 1880

21. *Isodontia paludosa* (Rossi, 1790)

Isodontia paludosa (Rossi, 1790): Maharramov et al. 2020: 46

Material: 2♀, Geokchay Distr., Rushtan-Kend, 26.06.1930, V. Yelistratov; 1♀, Lerik, Galabyn, 21.07.1976, H. Aliev.

Distribution: Russia, Italy, France, Croatia, Spain, Greece, Bulgaria, Slovenia, Turkey, Jordan, Iran, Azerbaijan, Turkmenistan, Algeria, Morocco (Pulawski 2022).

Remarks. Previously reported in Azerbaijan from Nakhchivan (Maharramov et al. 2020).

Subfamily AMMOPHILINAE

Genus *Podalonia* Fernald, 1927

22. *Podalonia caucasica* (Mocsary, 1883)

Material: 7♀, Mugan Pers. Kuruchay, Aslan-Duz, 24, 29.05, 1, 2, 21.06.1927, Bocharnikov; 1♀, Baku, Surakhany, on Eryngium, 7.07.1936,

A. Bogachev; 2♀, Mil's steppe, 20, 23.05.1934, A. Bogachev.

Distribution: Russia, Bulgaria, Georgia, *Azerbaijan, Tajikistan, Uzbekistan, Kazakhstan, Kyrgyzstan, Mongolia, China, India (Pulawski 2022).

Remarks. Recorded as new for the fauna of Azerbaijan.

23. *Podalonia ebenina* (Spinola, 1839)

Podalonia ebenina (Spinola, 1839): Maharramov et al. 2020: 45

Material: 1♀, Azerbaijan, Djulfa, Diza, 26.04.2012, H. Aliev.

Distribution: Russia, Azerbaijan, Turkey, Syria, Jordan, Lebanon, Israel, Iraq, Iran, Afghanistan, Turkmenistan, Tajikistan, Uzbekistan, Kazakhstan, Egypt, Arabian Peninsula (Pulawski 2022).

Remarks. Previously reported in Azerbaijan from Nakhchivan (Maharramov et al. 2020).

24. *Podalonia fera* (Lepeletier de Saint Fargeau, 1845)

Podalonia fera (Lepeletier de Saint Fargeau, 1845): Maharramov et al. 2020: 45

Material: 1♂, Lenkoran, Kergelan, Kh. Aliev; 13.09.1971, 1♂, Absheron, Ramana, 8.09.2016, A. Mammadov.

Distribution: Russia, Bulgaria, Greece, Italy, Romania, Ukraine, Armenia, Azerbaijan, Turkey, Syria, Iran, Turkmenistan, Uzbekistan, Kyrgyzstan, Kazakhstan (Pulawski 2022).

Remarks. Previously reported in Azerbaijan from Nakhchivan (Maharramov et al. 2020).

25. *Podalonia hirsuta* (Scopoli, 1763)

Podalonia hirsuta (Scopoli, 1763): Maharramov et al. 2020: 45

Material: 1♀, Shachdag, Sais., 2.500 m., 30.09.1933, A. Bogachev; 1♀, Baku, 14.10.1938, A. Karagdy; 1♀, Turut's steppe, 11.05.1941, A. Bogachev; 1♀, Lysogorsk, Karabakh, 26.08., A. Bogachev; 2♀, Everi-Zuvant, 21, 22.05.1936, A. Bogachev; 1♀, Yashma, 17.04.1924; 1♀, Eli-su (Ilisu), Kakh, 13.08.1934; 2♂, Ganja, 22, 24.05.1933, M. Vinovsky; 1♂, Kara-Yeri, 3.06.1932, M. Vinovsky; 1♂, 1♀, Ganja, 10, 12.06.1932, M. Vinovsky; 2♂, 2♀, Persia (now Iran), Kuru-Chay, Ungut-Mugan, 29.05., 1, 7.06, 1927, Bocharnikov; 1♀, Muradosan village, 6.06.1925, V. Nazarov; 1♀, Ganja,

5.07.1937, E. Hauser; 2♀, Lerik, Gilidara, 26.05.1976, H. Aliev; 1♀, Salyan, 5.07.1926, M. Kenig; 1♀, Kurd-Mahmudly, Karyagino village, 8.05.1928, Yelistratova; 1♂, Sibidor fruit garden, 12.09.1971, Kh. Aliev.

Distribution: Russia, Austria, Slovenia, Germany, UK, Greece, Ukraine, France, Croatia, Austria, Spain, Italy, Czech Republic, Hungary, Netherlands, Poland, Albania, Portugal, Switzerland, Romania, Latvia, Belgium, Lithuania, Denmark, Macedonia, Sweden, Finland, Bulgaria, Luxembourg, Slovakia, Poland, Belarus, Norway, Cyprus, Denmark, Estonia, Armenia, Azerbaijan, Turkey, Lebanon, Israel, Iran, Afghanistan, Pakistan, Kazakhstan, Tajikistan, Turkmenistan, Uzbekistan, Kyrgyzstan, Mongolia, China, India, Algeria, Egypt, South Africa, Tunisia, Morocco, Libya (Pulawski 2022).

Remarks. Previously reported in Azerbaijan from Nakhchivan (Maharramov et al. 2020).

26. *Podalonia tydei* (Le Guillou 1841)

Material: 9♂, ♀, Ganja, 19.06., 5, 8, 17, 19.08.1933, M. Vinovsky; 1♂, Baku, July, Akhundova; 2♀, Samuch, Eldar Poily, 14.05.1935, M. Vinovsky; 1♂, Baku, 4.09.1934; 1♀, Baku botanical garden, 23.09.1937, Tertyshnikov; 3♂, 1♀, Baku, Surakhany, 7.07.1936, Tertyshnikov; 1♂, 21.05.2016, Ramana, A. Mammadov.

Distribution: Russia, Spain, Hungary, Greece, France, Italy, Ukraine, Portugal, Bulgaria, Macedonia, Romania, Germany, Austria, Malta, Zimbabwe, Turkey, Syria, Jordan, Israel, Iraq, Iran, Afghanistan, Pakistan, *Azerbaijan, Kazakhstan, Turkmenistan, Tajikistan, Uzbekistan, Mongolia, China, India, Somalia, Algeria, Tunisia, Yemen, Tanzania, Libya, Cameron, South Africa, Rwanda, Egypt, Morocco, Ethiopia, Uganda, Niger, Angola, Saudi Arabia, Kuwait, Australia (Pulawski 2022).

Remarks. Recorded as new for the fauna of Azerbaijan.

Genus *Ammophila* W. Kirby 1798

27. *Ammophila campestris* Latreille, 1809

Material: 1♀, Karayeri, Ganja, 3.06.1932, M. Vinovsky; 3♀, Eldar-Poily, 3, 13, 14.05.1935, on Euphorbia, M. Vinovsky; 2♀, Gaurarkh, Mugan Pers., 12.06., 17.08.1927,

Bocharnikov; 1♂, 1♀, Altan Pers., 28.06., 22.10.1927, Bocharnikov; 1♂, Az SSR Mugan, Sabirabad, 17.05.1928, Alexandrov; 1♀, Eldar-Poily, 30.04.1936, A. Bogachev.

Distribution: Russia, France, Germany, Ukraine, Austria, Italy, Switzerland, Spain, Croatia, Romania, Slovakia, UK, Czech Republic, Hungary, Netherlands, Poland, Belgium, Sweden, Portugal, Denmark, Finland, Belarus, Luxemburg, Bulgaria, Norway, Turkey, *Azerbaijan, Kazakhstan, Turkmenistan, Tajikistan, Uzbekistan, Mongolia, China, Korean Peninsula, Algeria (Pulawski 2022).

Remarks. Recorded as new for the fauna of Azerbaijan.

28. *Ammophila heydeni* Dahlbom, 1845

Ammophila heydeni Dahlbom, 1845: Maharramov et al. 2020: 45

Material: 1♀, Zakataly, Talachay, 29.06.1933, A. Bogachev; 1♀, Baku, 7.09.1934, A. Bogachev; 1♀, Baku, 6.07.1935, A. Bogachev; 2♀, Absheron, Mashtagy, 2.09.1936, A. Bogachev; 1♀, Mugan, Djapharkhan, 18.08.1940, A. Bogachev; 1♀, Noraten, Nakhchivan, 9.06.1923, M. Vinovsky; 8♀, Ganja, 2, 3.06–25.07–4, 5.08.1932, in the steppe, M. Vinovsky; 2♀, Ganja, on the Eryngium, 8, 19.08.1933, M. Vinovsky; 1♀, along the road to Bolchaly village, 20.07.1933, M. Vinovsky; 1♀, Lerik, Kosmalyan, 24.07.1976, H. Aliev; 1♀, Lerik, Galabyn, 21.07.1976, H. Aliev; 1♀, Lerik, Kalakhan, 24.07.1976, H. Aliev; 2♀, Baku, Surakhany, 7.07.1936, on Eryngium, Tertyshnikov; 1♂, 1♀, Nakhch. ASSR, Akulisi, 1.06.1939, E. Hauser; 1♂, 1♀, st. Mingechevir, 22, 26.08.1933, B. Lotozky; 1♀, Baku, Mardakany, 6.06.1938, A. Bogachev; 1♀, Muganly, Zakataly Distr., 26.06.1938, A. Bogachev; 1♂, Baku, Shuvelyan, 11.07.1947, A. Bogachev; 1♀, environs of Lenkoran, 13.06.1929, in the meadow, E. Selivanchik; 1♀, Mugan, Djapharkhan steppe, 26.06.1925, Alexandrov; 1♂, Kuru-Chay, Pers. Ungut-Mugan, 1.06.1927, Bocharnikov; 1♀, Djapharabad, Nukhin, 16.07.1927, Bocharnikov; 1♀, Mil's Sovkhoz, 10.06.1934, V. Rusanova; 2♂, Baku, 18.08.2015, A. Mammadov.

Distribution: Russia, Italy, Croatia, Austria, France, Hungary, Romania, Ukraine, Spain, Greece, Albania, Czech Republic, Portugal,

Slovenia, Slovakia, Switzerland, Armenia, Azerbaijan, Turkey, Syria, Jordan, Israel, Iran, Yemen, Afghanistan, Kazakhstan, Tajikistan, Uzbekistan, Mongolia, China, Algeria, Libya, Morocco (Pulawski 2022).

Remarks. Previously reported in Azerbaijan from Nakhchivan (Maharramov et al. 2020).

29. *Ammophila hungarica* Mocsáry, 1883

Ammophila hungarica Mocsáry, 1883: Maharramov et al. 2020: 45

Material: 1♂, Nakhchivan, Ordubad, 15.08.1939, E. Hauser.

Distribution: Russia, Hungary, Spain, Belgium, Austria, France, Italy, Ukraine, Armenia, Azerbaijan, Turkey, Syria, Jordan, Iran, Afghanistan, Turkmenistan, Tajikistan, Uzbekistan, Kazakhstan, Algeria (Antropov et al. 2017; Pulawski 2022).

Remarks. Previously reported in Azerbaijan from Nakhchivan (Maharramov et al. 2020).

30. *Ammophila gracillima* Taschenberg, 1869

Material: 1♀, Baku, 3.08.2014, Shuvelyan, A. Mammadov; 1♀, 18.09.2015, A. Mammadov.

Distribution: Russia, Turkey, Syria, Jordan, Israel, Iran, *Azerbaijan, Afghanistan, Turkmenistan, Tajikistan, Uzbekistan, Kazakhstan, Mongolia, China, India, Sudan, Algeria, Libya, Morocco, Niger, Ethiopia, Tunisia, Mauritania, Oman, Saudi Arabia, United Arab Emirates, Egypt (Antropov et al. 2017; Pulawski 2022).

Remarks. Recorded as new for the fauna of Azerbaijan.

31. *Ammophila occipitalis* F. Moravitz, 1890

Material: 1♀, Mugan Persia, Kuru-chay, 21.06.1927, Bocharnikov; 1♀, Az SSR, Mugan Sabirabad, 17.05.1928, Alexandrov.

Distribution: Russia, Jordan, Iraq, Iran, *Azerbaijan, Turkmenistan, Tajikistan, Uzbekistan, Kazakhstan (Antropov et al. 2017; Pulawski 2022).

Remarks. Recorded as new for the fauna of Azerbaijan.

32. *Ammophila sabulosa* (Linnaeus, 1758)

Ammophila sabulosa (Linnaeus, 1758): Maharramov et al. 2020: 45

Material: 1♂, 3♀, Ganja, 30.07, 5, 17.08.1933, on Eryngium, M. Vinovsky; 1♀, 1♂, Ganja,

3.06.1932, Karayeri, M. Vinovsky; 1♂, Eldar-Poily, 14.05.1935, on Tamaryx, M. Vinovsky; 1♀, Port Ilyicha, 2.07.1936, in the steppe, M. Vinovsky; 1♂, Mugan, bor. Djapharkhan, 23.06.1925, Alexandrov; 1♀, Zakataly Taly, 9.07.1938, A. Bogachev; 1♀, Agdjabedy, 5.06.1934, A. Bogachev; 1♀, Distr. Kakh, Sary-Bash, 17.08.1934, A. Bogachev; 1♀, Karaagachly, Samukh Distr., 1.06.1935, A. Bogachev; 1♀, Baydarka Distr., Kostroma, 8.09.1924, Gussakovskiy; 1♀, Yevlakh, 12.05.1937, E. Hauser.

Distribution: Russia, Denmark, Sweden, Switzerland, Norway, Austria, Italy, Germany, Ukraine, UK, Ireland, Finland, Latvia, Lithuania, Poland, France, Austria, Croatia, Slovenia, Belgium, Hungary, Czech Republic, Netherlands, Albania, Montenegro, Macedonia, Romania, Bulgaria, Luxemburg, Belarus, Moldavia, Serbia, Turkey, Syria, Iran, Azerbaijan, Kazakhstan, Uzbekistan, Tajikistan, Mongolia, China, Japan, Nepal, Korea, Algeria (Pulawski 2022).

Remarks. Previously reported in Azerbaijan from Nakhchivan (Maharramov et al. 2020).

33. *Ammophila terminata* F. Smith, 1856

Material: 1♀, Russia, Stavropol, 4.06.1926, V. Belizin; 1♀, Yevlakh, 2.06.1938, E. Hauser; 1♀, Azerbaijan, Nakhichevan, Djulfa, Diza, 26.04.2012, H. Aliev.

Distribution: Russia, Canary Island, Austria, Spain, France, Ukraine, Italy, Slovakia, Belgium, Hungary, Czech Republic, Portugal, Bulgaria, Romania, Switzerland, Germany, Turkey, *Azerbaijan, Kazakhstan, Kyrgyzstan, Mongolia, China, Tunisia, Algeria (Pulawski 2022).

Remarks. Recorded as new for the fauna of Azerbaijan.

Genus *Eremochares* Gribodo, 1883

34. *Eremochares dives* (Brullé, 1833)

Eremochares dives (Brullé, 1833): Dollfuss 2010: 537

Eremochares dives (Brullé, 1833): Maharramov et al. 2020: 45

Material: 1♀, Nakhchivan, Bash-Norashen, 9.06.1923, M. Vinovsky; 1♂, 1♀, Kuba, 15.06.1927, V. Gussakovskiy.

Distribution: Russia, Greece, Ukraine, Azerbaijan, Turkey, Syria, Lebanon, Israel, Iraq,

Iran, Afghanistan, Pakistan, Turkmenistan, Tajikistan, Uzbekistan, Kazakhstan, China, India, Tunisia, Algeria, Libya, Morocco, Egypt, Saudi Arabia (Antropov et al. 2017; Pulawski 2022).

Remarks. Previously reported in Azerbaijan from Nakhchivan (Maharramov et al. 2020) and Shirvan (Dollfuss 2010).

Conclusion

To conclude, the collection of the Institute of Zoology of the National Academy of Sciences of Azerbaijan (Baku) features wasps of the family Sphecidae represented by 34 species

from 9 genera. Of these, 11 species were first recorded in the fauna of Azerbaijan: *Chalybion fleibile* Lepeletier de Saint Fargeau, 1845; *Sceliphron madraspatanum* (Fabricius, 1781); *Prionyx lividocinctus* (A. Costa, 1858); *P. habershaueri* (Radoszkowski, 1871); *P. subfuscatus* (Dahlbom, 1845); *Podalonia caucasica* (Mocsary, 1883); *P. tydei* Le Guillou 1841; *Ammophilila terminata* (F. Smith, 1856); *A. campestris* (Latreille, 1809); *A. occipitalis* (F. Moravitz, 1880); and *A. gracillima* Taschenberg, 1869. In total, the collection contains 34 wasp species, of which 34 are from Azerbaijan, 15 from Iran and 1 from Russia.

References

- Alieva, M. Q., Humbatov, A. M. (2007) Pitaniye lichinok i vzaimodeystviye zhalyashchikh os (Hymenoptera, Vespidae, Sphecidae) pri furazhirovke [Feeding of larvae and relationship between stinger wasps (Hymenoptera, Vespidae, Sphecidae) in forage behavior]. *Baki Universitetinin Xəbərləri. Təbiət elmləri seriyası — News of the Baku University. Natural Science Series*, no. 2, pp. 74–79. (In Russian)
- Augul, R. S. (2019) Revision of the Family Sphecidae (Hymenoptera, Apoidea) in Iraq. *Bulletin of the Iraq Natural History Museum*, vol. 15, no. 4, pp. 491–504. <https://doi.org/10.26842/binhm.7.2019.15.4.0491> (In English)
- Antropov, A. V., Astafurova, Yu. V., Belokobylskij, S. A., Byvaltsev, A. M., Danilov, Yu. N. et al. (2017) *Annotated catalogue of the Hymenoptera of Russia. Vol. I. Symphyta and Apocrita: Aculeata*. Saint Petersburg: Zoological Institute of RAS Publ., 475 p. (In English)
- Danilov, Yu. N. (2012) The digger wasps of the genus *Prionyx* Vander Linden (Hymenoptera: Sphecidae) of Russia and Central Asia, with a key to species, new synonymies, and lectotype designations. *Zootaxa*, vol. 3526, pp. 59–71. <https://doi.org/10.11646/ZOOTAXA.3526.1.6> (In English)
- Dollfuss, H. (2008) The Sphecini wasps of the genera *Chilosphex* Bohart and Menke, *Isodontia* Patton, *Palmodes* Kohl, *Prionyx* Vander Linden and *Sphex* Linnaeus of the “Biologiezentrum Linz” — collection in Linz, Austria, (Hymenoptera, Apoidea, Sphecidae). *Linzer Biologische Beiträge*, vol. 40, no. 2, pp. 1399–1434. (In English)
- Dollfuss, H. (2010) The Ammophilini wasps of the genera *Eremnophila* Menke, *Eremochares* Gribodo, *Hoplammophila* de Beaumont, *Parapsammophila* Taschenberg, and *Podalonia* Fernald of the “Biologiezentrum Linz” — collection in Linz, Austria (Hymenoptera, Apoidea, Sphecidae). *Linzer Biologische Beiträge*, vol. 42, no. 1, pp. 535–560. (In English)
- Gonzalez, J. A., Gayubo, S. F., Asis, J. D., Tormos, J. (2009) Diversity and biogeographical significance of solitary wasps (Chrysididae, Eumeninae, and Spheciformes) at the Arribes del Duero Natural Park, Spain: Their importance for insect diversity conservation in the Mediterranean Region. *Environmental Entomology*, vol. 38, no. 3, pp. 608–626. <http://dx.doi.org/10.1603/022.038.0312> (In English)
- Hensen, R. V. (1988) Revision of the nominate subgenus *Chalybion* Dahlbom (Hymenoptera, Sphecidae). *Tijdschrift voor Entomologie*, vol. 131, pp. 13–64. (In English)
- Kazenas, V. L. (1998) *Fauna Kazakhstana. T. 9. Pereponchatokrylyie (Hymenoptera). Royushchie osy (Hymenoptera, Sphecidae) Kazakhstana. Vyp. 1. Obshchaya kharakteristika semejstva. Podsemejstva Ampulicinae, Sphecinae [Fauna of Kazakhstan. Vol. 9. Hymenoptera. Digger Wasps (Hymenoptera, Sphecidae) of Kazakhstan. Iss. I. General characteristics of the family. Subfamilies Ampulicinae, Sphecinae]*. Almaty: Institute of Zoology RK Publ., 284 p. (In Russian)

- Kohl, F. F. (1890) Die Hymenopterengruppe der Sphecinen. I. Monographie der natürlichen Gattung *Sphex* Linné (sens. lat.). I Abtheilung. *Annalen des k. k. Naturhistorischen Hofmuseums*, vol. 5, № 2, pp. 77–194, 317–462, pl. VIII–XII. (In German)
- Maharramov, M. M., Mokrousov, M. V., Proshchalykin, M. Yu. (2020) New distributional records of the family Sphecidae (Hymenoptera) in Azerbaijan. *Caucasian Entomological Bulletin*, vol. 16, no. 1, pp. 43–47. (In English)
- Pulawski, W. (2022) Catalog of Sphecida sensu lato. [Online]. Available at: <https://calacademy.org/scientists/projects/catalog-of-sphecidae> (accessed 15.05.2022). (In English)
- Van der Vecht, J., van Breugel, F. M. A. (1968) Revision of the nominate subgenus *Sceliphron* Latreille (Hym., Sphecidae) (Studies on the Sceliphronini, Part I). *Tijdschrift voor Entomologie*, vol. 111, no. 6, pp. 185–255. (In English)

For citation: Mammadov, A. A. (2022) The aculeate Hymenoptera in the collection of the Institute of Zoology of the National Academy of Science of Azerbaijan, Baku: Wasps of the family Sphecidae (Hymenoptera, Aculeata). *Amurian Zoological Journal*, vol. XIV, no. 3, pp. 426–435. <https://www.doi.org/10.33910/2686-9519-2022-14-3-426-435>

Received 5 November 2021; reviewed 28 May 2022; accepted 1 August 2022.

Для цитирования: Мамедов, А. А. (2022) Жалящие перепончатокрылые в коллекции Института зоологии Национальной академии наук Азербайджана, Баку. Осы семейства Sphecidae (Hymenoptera, Aculeata). *Амурский зоологический журнал*, т. XIV, № 3, с. 426–435. <https://www.doi.org/10.33910/2686-9519-2022-14-3-426-435>

Получена 5 ноября 2022; прошла рецензирование 28 мая 2022; принятая 1 августа 2022.