



<https://www.doi.org/10.33910/2686-9519-2023-15-2-308-315>  
<http://zoobank.org/References/09A7051D-7885-4355-9218-7C98FF9BCC7>

UDC 595.722

## Afrotropical Dolichopodoidea (Diptera) Catalog: Second addition with description of a new *Syntormon* species from Kenya

I. Ya. Grichanov

All-Russian Institute of Plant Protection, 3 Podbelskogo Road, Pushkin, 196608, Saint Petersburg, Russia

### Author

Igor Ya. Grichanov

E-mail: [grichanov@mail.ru](mailto:grichanov@mail.ru)

SPIN: 1438-5370

Scopus Author ID: 8672518800

ResearcherID: A-1406-2013

ORCID: 0000-0001-6367-836X

**Abstract.** Second addition to the Afrotropical Dolichopodoidea (Diptera) Catalog (2018) and its supplement (2020) includes new species, new synonyms and new records published mainly in 2021–2022 and in few papers published earlier or later. A new species *Syntormon drakei* Grichanov, **sp. nov.** is described from Kenya, based on earlier misidentification. The list contains addition of 36 species, and exclusion of five names placed in synonymy and two non-Afrotropical species (*Pseudohercostomus echinatus*, *Syntormon fuscipes*), resulting in a new total of 844 (including 14 doubtful) dolichopodoid species and subspecies in the Afrotropical fauna.

**Copyright:** © The Author (2023).  
Published by Herzen State Pedagogical  
University of Russia. Open access under  
CC BY-NC License 4.0.

**Keywords:** Dolichopodidae, *Syntormon*, Afrotropical, catalog, checklist, new species

## Аннотированный каталог афротропических Dolichopodoidea (Diptera): второе дополнение с описанием нового вида *Syntormon* из Кении

И. Я. Гричанов

Всероссийский НИИ защиты растений, ш. Подбельского, д. 3, г. Пушкин, 196608, г. Санкт-Петербург, Россия

### Сведения об авторе

Гричанов Игорь Яковлевич

E-mail: [grichanov@mail.ru](mailto:grichanov@mail.ru)

SPIN-код: 1438-5370

Scopus Author ID: 8672518800

ResearcherID: A-1406-2013

ORCID: 0000-0001-6367-836X

**Аннотация.** Второе дополнение к Аннотированному каталогу афротропических Dolichopodoidea (Diptera) 2018–2020 гг. содержит новые виды, новые синонимы и новые указания, опубликованные преимущественно в 2021–2022 гг. Описан новый вид *Syntormon drakei* Grichanov, **sp. nov.** из Кении. Статья добавляет к Аннотированному каталогу 36 видов, исключает 5 синонимизированных названий и 2 ранее неправильно определенных вида (*Pseudohercostomus echinatus*, *Syntormon fuscipes*). В итоге афротропическая фауна насчитывает 844 (включая 14 сомнительных) вида и подвида Dolichopodoidea.

**Права:** © Автор (2023). Опубликовано Российским государственным педагогическим университетом им. А. И. Герцена. Открытый доступ на условиях лицензии CC BY-NC 4.0.

**Ключевые слова:** Dolichopodidae; *Syntormon*; Тропическая Африка; каталог; список видов; новый вид

## Introduction

The second addition to the Afrotropical Dolichopodidae (Diptera) Catalog (Grichanov 2018) and its supplement (Grichanov 2020) includes new species, new synonyms, new combinations and new records published mainly in 2021–2022 and in few papers published earlier or later. All readers are asked to inform me of errors or changes and I thank all those who have already brought these to my attention. Changes are listed under subfamilies and genera. In addition, one new species of the genus *Syntormon* Loew, 1857 is described, based on my earlier misidentification. The notes below refer to addition of one genus and 36 species, to exclusion of one genus and seven species, resulting in a new total of 844 species and subspecies. Additional taxa, nomenclatural changes and additional countries in the species distribution section are marked in **bold** type. Type locality is given only for original generic combination of species. A paper of El-Hawagry (2023) is added to the reference list, containing lectotype designations for some Afrotropical species. A review of Dolichopodidae from Palaearctic and Afrotropical parts of the Arabian Peninsula (Dawah et al. 2020) is also included, though it does not contain any nomenclatural act. It is intended to update this catalog in the future.

### Family Dolichopodidae Latreille, 1809

Subfamily Diaphorinae Schiner, 1864

*Shamshevia* Grichanov, 2012

*Arabshamshevia* Naglis, 2014, 726 (**synonymized** by Bickel 2023: 14). Type species: *Arabshamshevia ajbanensis* Naglis, 2014 (original designation)

*Shamshevia ajbanensis* (Naglis, 2014) [*Arabshamshevia*]. *Afrotropical*: United Arab Emirates; *Palaearctic*: Iran. *References*: Bickel 2023: 15.

*Arabshamshevia ajbanensis* Naglis, 2014: 729. Type locality: United Arab Emirates, al-Ajban.

Subfamily Dolichopodinae Latreille, 1809

*Hercostomus* Loew, 1857

*Hercostomus nikitai* Grichanov, 2022a: 191. Type locality: Tanzania: Mbeya Region, Matema, Nyasa Lake. *Afrotropical*: Tanzania.

*Pseudohercostomus* Stackelberg, 1931

*Pseudohercostomus congoensis* Grootaert et Van de Velde, 2021: 330. Type locality: DR Congo: S.L. Edouard: r. Rwindi. *Afrotropical*: DR Congo, Mozambique, ?Madagascar, ?Malawi.

*Paracleius echinatus* (Stackelberg, 1931) sensu Grichanov 2004: 102, diagnosis, Fig. 67 (male terminalia lateral).

*Pseudohercostomus echinatus*, in Grichanov, Brooks 2017, Fig. 148 (female terminalia dorsal); Grichanov 2011: Figs. 87–89; nec Stackelberg 1931. *References*: Grootaert, Van de Velde 2021: 330 (excluded from Afrotropics).

Subfamily Hydrophorinae Lioy, 1864

*Thinophilus* Wahlberg, 1844

*Thinophilus indigenus* Becker, 1902: 48. Type locality: Egypt: Kairo, Assiur, Luxor, Assuan, Fayum, and Suez. *Afrotropical*: Angola, Benin, DR Congo, Cape Verde Is., Ethiopia, Gambia, Ghana, Madagascar, Namibia, Nigeria, Seychelles (Aldabra), **Sierra Leone**, South Africa, **Sudan**, Swaziland, Tanzania, Yemen; *Palaearctic*: Iran, Turkey, Mongolia, Egypt, Algeria; *Oriental*: India, Nepal, China, Malaysia, Philippines, Sri Lanka, Thailand. *References*: Rossi 1986: 163; Rossi, Leonardi 2018: 111.

Subfamily Peloropecinae Robinson, 1970

*Griphophanes* Grootaert et Meuffels, 1998

*Griphophanes cameroonensis* Grichanov, 2022b: 293. Type locality: Cameroon, Northwest Reg., Mezam, Bafut Village. *Afrotropical*: Cameroon.

Subfamily Sciapodinae Becker, 1917

*Amblypsilopus* Bigot, 1888

*Amblypsilopus analamazaotra* Grichanov, 2021a: 68. Type locality: Madagascar, Andasibe, Analamazaotra Forest. *Afrotropical*: Madagascar.

*Amblypsilopus andasibensis* Grichanov, 2021a: 70. Type locality: Madagascar, An-

dasibe, Analamazaotra Forest. *Afrotropical*: Madagascar.

*Amblypsilopus ankarana* Grichanov, 2021a: 53. Type locality: Madagascar, Antsiranana Province, Ankarana Special Reserve, 2.6 km E of Andafiabe. *Afrotropical*: Madagascar.

*Amblypsilopus auratus* (Curran, 1924) [*Chrysosoma*] (Bickel, 1994, 372). *Afrotropical*: Angola, DR Congo, **Ethiopia**, **Gabon**, Guinea, Ivory Coast, Nigeria, Senegal, South Africa, Tanzania, Zambia, Zimbabwe. *References*: Grichanov 2022c: 56.

*Amblypsilopus bairae* Grichanov, 2021a: 55. Type locality: Madagascar, Andasibe, Analamazaotra Forest. *Afrotropical*: Madagascar.

*Amblypsilopus bevisi* (Curran, 1927) [*Sciapus*] (Bickel, 1994, 373). *Afrotropical*: South Africa. *References*: Grichanov 2022c: 62 (**redescription**).

*Amblypsilopus asper* (Parent, 1933) [*Chrysosoma*] (Grichanov 2021b: 45).

*Chrysosoma asperum* Parent, 1933, 43 (in key) (description: Parent 1934: 114). Type locality: South Africa (**synonymized** by Grichanov 2022c: 62).

*Amblypsilopus centralis* (Becker, 1923) [*Chrysosoma*] (Grichanov 1997: 40; Grichanov 2021b: 45). *Afrotropical*: Tanzania.

*Chrysosoma centrale* Becker, 1923: 25. Type locality: "Nyasa-see, Lolodorf" [Tanzania].

*Amblypsilopus cilifrons* (Parent, 1937) [*Chrysosoma*] (Grichanov 1996: 285). *Afrotropical*: **Cameroon**, DR Congo, **Ethiopia**, Kenya, Madagascar, Namibia, Nigeria, Togo, **Zimbabwe**. *References*: Grichanov 2022c: 56.

*Amblypsilopus cuthbertsoni* (Parent, 1937) [*Sciopus*] (Bickel 1994, 373). *Afrotropical*: Burundi, **Tanzania**, Zimbabwe. *References*: Grichanov 2022c: 74.

*Amblypsilopus fianarantsoa* Grichanov, 2021a: 73. Type locality: Madagascar, Andasibe, Analamazaotra Forest. *Afrotropical*: Madagascar.

*Amblypsilopus flavicollis* (Becker, 1923) [*Lepitorhetum*] (Bickel 1994, 373). *Afrotropical*: Cameroon, ?Equatorial Guinea. *References*: Grichanov 2022c: 51 (**nomen dubium**).

*Amblypsilopus flavus* (Vanschuytbroeck, 1962) [*Megistostylus*] (Grichanov 1998, 84). *Afrotropical*: Madagascar. *References*: Grichanov 2021a: 57 (**redescription**).

*Amblypsilopus freidbergi* Grichanov, 2021a: 75. Type locality: Madagascar, Andasibe, Analamazaotra Forest. *Afrotropical*: Madagascar.

*Amblypsilopus friedmani* Grichanov, 2021a: 60. Type locality: Madagascar, Andasibe, Feon'Ny Ala Hôtel. *Afrotropical*: Madagascar.

*Amblypsilopus gabonensis* Grichanov, 2022c: 59. Type locality: Gabon: Gamba, Ogooue Maritime. *Afrotropical*: Gabon.

*Amblypsilopus knorri* Grichanov, 1999, 131. Type locality: Cameroon: Muell. *Afrotropical*: Cameroon, **Ivory Coast**. *References*: Grichanov 2022c: 74.

*Amblypsilopus korotyaevi* Grichanov, 2021: 45. Type locality: Gabon, Ogooue-Maritime Province, Gamba. *Afrotropical*: Gabon.

*Amblypsilopus leonidi* Grichanov, 2021a: 78. Type locality: Madagascar, Andasibe, Analamazaotra Forest. *Afrotropical*: Madagascar.

*Amblypsilopus longifilus* (Becker, 1923) [*Chrysosoma*] (Bickel 1994, 352 [as *longifilis*]). *Afrotropical*: DR Congo, Kenya, Malawi, **Namibia**, **South Africa**, St. Helena, Tanzania, Uganda, **Zimbabwe**. *References*: Grichanov 2022c: 56.

*Amblypsilopus marinae* Grichanov, 2021a, 62. Type locality: Madagascar, Andasibe, Analamazaotra Forest. *Afrotropical*: Madagascar.

*Amblypsilopus martini* Grichanov, 2022c: 70. Type locality: Tanzania, East Uzambara, Amani, alt. 1000 m. *Afrotropical*: Tanzania.

*Amblypsilopus milleri* Grichanov, 2022c: 65. Type locality: South Africa, S Cape, Diepwalle Forest, alt. 400 m. *Afrotropical*: South Africa (Eastern Cape, Western Cape).

*Amblypsilopus mufindiensis* Grichanov, 2022c: 68. Type locality: Tanzania, Iringa Region, Mufindi Highland Lodge, alt. 950 m. *Afrotropical*: Tanzania.

*Amblypsilopus nartshukae* Grichanov, 1996: 290. Type locality: Angola: 2 miles S. Luanda.

*Afrotropical*: Angola, Gabon, **Ivory Coast**.  
References: Grichanov 2021b: 48.

*Amblypsilopus olgae* Grichanov, 2021a: 80.  
Type locality: Madagascar, Andasibe, Analamazaotra Forest. *Afrotropical*: Madagascar.

*Amblypsilopus rectangularis* (Parent, 1937) [*Sciopus*] (Bickel 1994, 373). *Afrotropical*: DR Congo, ?Madagascar. References: Grichanov 2022c: 51 (**nomen dubium**).

*Amblypsilopus romani* Grichanov, 2021a: 65. Type locality: Madagascar, Andasibe, Analamazaotra Forest. *Afrotropical*: Madagascar.

*Amblypsilopus ruchini* Grichanov, 2021b: 46. Type locality: Gabon, Ogooue-Maritime Province, Gamba. *Afrotropical*: Gabon.

*Amblypsilopus spiniscapus* Grichanov, 2022c: 57. Type locality: Ivory Coast, 15 km N of Man, Cascades, alt. 300 m. *Afrotropical*: Ivory Coast.

*Amblypsilopus sudanensis* (Parent, 1939) [*Sciopus*] (Bickel 1994, 373). *Afrotropical*: ?DR Congo, Sudan. References: Grichanov 2022c: 51 (**nomen dubium**).

*Amblypsilopus tropicalis* (Parent, 1933) [*Sciopus*] (Bickel 1994: 373). *Afrotropical*: DR Congo. References: Grichanov 2022c: 51 (**nomen dubium**).

*Amblypsilopus udzungwensis* Grichanov, 2022c: 74. Type locality: Tanzania, Morogoro Region, Udzungwa Mt National Park, Mito Mitatu, alt. 1235 m. *Afrotropical*: Tanzania.

*Amblypsilopus unguatus* (Parent, 1941) [*Chrysosoma*] (Grichanov 2021b: 45). *Afrotropical*: São Tomé and Príncipe.

*Chrysosoma unguatum* Parent, 1941: 207.  
Type locality: Príncipe.

*Bickeliolus* Grichanov, 1996

*Bickeliolus alluaudi* (Parent, 1935) [*Chrysosoma*] (Grichanov 1998: 81). *Afrotropical*: Madagascar, Seychelles (Aldabra, North Island).

*Chrysosoma alluaudi* Parent, 1935: 80.  
Type locality: Madagascar: [Fitovinany Region] Forêt Tanala, Région d'Ikongo, Ankarimbelo).

*Mascaromyia gerlachi* Meuffels et Grootaert, 2007: 41. Type locality: Seychelles: North

Island, D Arros (**synonymized** by Grichanov 2021b: 49).

*Bickeliolus gerlachi* (Meuffels et Grootaert, 2007) [*Mascaromyia*] (Grichanov, 2011 23).

*Bickeliolus bogoria* Grichanov, 2021: 49. Type locality: Kenya, Baringo County, Baringo #64, Lake Bogoria National Reserve. *Afrotropical*: Kenya.

*Bickeliolus maslovae* (Grichanov, 1996) [*Ethiosciapus*] (Grichanov 1998: 82). *Afrotropical*: Angola, Botswana, **Namibia**. References: Grichanov 2021b: 50.

*Chrysosoma* Guerin-Meneville, 1831

*Chrysosoma alboguttatum* Parent, 1930: 93. Type locality: Cameroon, Reg. de Dchang. *Afrotropical*: Cameroon, Burundi, Guinea, **Ivory Coast**. References: Grichanov 2021b: 60.

*Chrysosoma arduum* (Parent, 1936) [*Sciopus*] (Grichanov 1998g: 82). *Afrotropical*: DR Congo. References: Grichanov 2021b: 52 (**nomen dubium**).

*Chrysosoma benignum* Parent, 1934: 115. Type locality: S Nigeria: Opobo. *Afrotropical*: Nigeria References: Grichanov 2021b: 52 (**nomen dubium**).

*Chrysosoma praecipuum* Parent, 1936: 319 (female). Type locality: DR Congo: Bambesa. *Afrotropical*: DR Congo. References: Grichanov 2021b: 52 (**nomen dubium**).

*Chrysosoma cooksoni* Grichanov, 2021b: 54. Type locality: Zimbabwe, Manicaland Province, 'S. Rhodesia', N. Vumba [Mountains]. *Afrotropical*: Zimbabwe.

*Chrysosoma laeve* (Bigot, 1891) [*Psilopodius*] (Becker 1923: 20). *Afrotropical*: Ivory Coast. References: Grichanov 2021b: 52 (**nomen dubium**).

*Chrysosoma negrobovi* Grichanov, 2021b: 56. Type locality: Gabon, Ogooue-Maritime Province, Gamba. *Afrotropical*: Gabon.

*Chrysosoma subfascipenne* (Curran, 1926) [*Sciopus*] (Grichanov 2021b: 52). *Afrotropical*: Uganda. References: Grichanov 2021b: 52 (**nomen dubium**).

*Chrysosoma tractatum* Becker, 1923, 35. Type locality: Togo: "Bismarckburg". *Afrotropical*: Ghana, **Ivory Coast**, Nigeria, Togo. References: Grichanov 2021b: 61.

*Chrysosoma trigemmans* (Walker, 1849) [*Psilopus*] (Parent 1934: 34). *Afrotropical*. *References*: Grichanov 2021b: 52 (**nomen dubium**).

*Chrysosoma usherae* Grichanov, 2021b: 57. Type locality: Mozambique, Zambezi Province, Luabo [Lower Zambezi River]. *Afrotropical*: Mozambique.

*Chrysosoma vanbruggeni* Grichanov, 2021b: 59. Type locality: Mozambique, Manica Province, “Port. East Africa”, Amatongas Forest near Gondola. *Afrotropical*: Mozambique.

*Dytomyia* Bickel, 1994

*Dytomyia flavicaudata* Grichanov, 2021c: 87. Type locality: Kenya: former Coast Province: Kilifi County, Kikambala. *Afrotropical*: Kenya.

*Dytomyia nubilis* (Parent, 1935) [*Sciopus*] (Grichanov 2003: 331). *Afrotropical*: Madagascar. *References*: Grichanov 2021c: 86 (**nomen dubium**).

*Ethiosciapus* Bickel, 1994

*Ethiosciapus bicalcaratus* (Parent, 1933) [*Siciopus*] (Bickel 1994: 142). *Afrotropical*: Burundi, Comores, DR Congo, **Ethiopia**, Kenya, Madagascar, **Tanzania**, Uganda, St. Helena. *References*: Grichanov 2021b: 62.

*Ethiosciapus flavirostris* (Loew, 1858) [*Psilopus*] (Bickel 1994: 142). *Afrotropical*: **Comoros**, Madagascar, Mozambique, **Seychelles**, South Africa, **Tanzania**. *References*: Grichanov 2021b: 62.

*Sciapus integer* Becker, 1923: 47 [*Sciopus*]. Type locality: Malawi: “Nyassa-See, Langenburg” (**synonymized** by Grichanov 2021b: 62).

*Ethiosciapus integer* (Becker, 1923) [*Sciopus*] (Grichanov 1996: 226).

*Psilopus bilobatus* Lamb, 1922: 372. Type locality: Seychelles: “Dennis I., Silhouette, Mare aux Cochons plateau and near Potàaux; Mahé, at Anse aux Pins; Félicité, near Morne Blanc, and Cascade Estate” (**synonymized** by Grichanov 2021b: 62).

*Sciapus bilobatus* (Lamb, 1922) [*Psilopus*] (Dyde, Smith 1980: 448).

*Ethiosciapus bilobatus* (Lamb, 1922) [*Psilopus*] (Bickel 1994: 142).

*Ethiosciapus inflexus* (Becker, 1923) [*Sciopus*] (Grichanov 1998: 81). *Afrotropical*: Burundi, DR Congo, Kenya, Madagascar, St. Helena, South Africa, Tanzania, Uganda.

*Sciapus dilectus* Parent, 1935: 84 [*Sciopus*]. Type locality: Tanganyika (**synonymized** by Grichanov 2021b: 63).

*Ethiosciapus dilectus* (Parent, 1935) [*Sciopus*] (Bickel 1994: 142).

*Ethiosciapus latipes* (Parent, 1929) [*Chrysosoma*] (Bickel 1994: 142). *Afrotropical*: Madagascar, **Tanzania**. *References*: Grichanov 2021b: 63.

*Gigantosciapus* Grichanov, 1997

*Gigantosciapus nataliae* Grichanov, 1998, 108. Type locality: DR Congo, Kasai: Terr. de Bekese Itanda. *Afrotropical*: DR Congo, Cameroon, **Central African Republic**. *References*: Grichanov 2021b: 63.

*Parentia* Hardy, 1935

*Parentia degener* (Parent, 1934) [*Condylostylus*] (Grichanov 1999: 120). *Afrotropical*: South Africa. *References*: Grichanov 2021d: 329 (**redescription**).

*Parentia magnicornis* Grichanov, 2021d: 326. Type locality: South Africa, Western Cape, Gamkaskloof (Die Hel). *Afrotropical*: South Africa.

*Parentia theroni* Grichanov, 2021d: 327. Type locality: South Africa, [Western Cape], Bokfontein, Ceres. *Afrotropical*: South Africa.

*Mesorhaga* Schiener, 1868

*Mesorhaga negrobovi* Grichanov, 2021f: 706. Type locality: Madagascar, Ranomafana Forest. *Afrotropical*: Madagascar.

*Mesorhaga tanzaniensis* Grichanov, 2021g: 3. Type locality: Tanzania: Morogoro Region, Udzungwa Mt. Nat. Park, Mito Mitatu. *Afrotropical*: Tanzania.

*Plagiozopelma* Enderlein, 1912

*Plagiozopelma mezamense* Grichanov, 2021e: 37. Type locality: Cameroon, Northwest Reg., Mezam, Bafut Village. *Afrotropical*: Cameroon.

*Plagiozopelma piliseta* (Parent, 1936) [*Chrysosoma*] (Bickel 1994: 231). *Afrotropical*:

DR Congo, **Burundi**. *References*: Grichanov 2021e: 41.

*Plagiozopelma ramiseta* (Parent, 1939) [*Chrysosoma*] (Bickel 1994: 231). *Afrotropical*: DR Congo, **Liberia**, Sierra Leone, Zimbabwe. *References*: Grichanov 2021e: 40.

Subfamily Sympycninae Aldrich, 1905

*Campsicnemus* Haliday in Walker, 1851

*Campsicnemus glupovi* Grichanov, 2022d: 239. Type locality: Republic of South Africa, Eastern Cape #7, 6 km E Alicedale. *Afrotropical*: South Africa.

*Syntormon* Loew, 1857

*Syntormon drakei* Grichanov, **sp. nov.**

Figs. 1–4

<https://zoobank.org/NomenclaturalActs/EDF4B0C8-9B53-4E34-A509-7B450871A6EB>

*Syntormon fuscipes* (von Roser, 1840): Grichanov 2001: 183 (misidentification).

**Differential diagnosis.** This species differs from the European *S. fuscipes* in the trifid tip of phallus (Grichanov 2001: Fig. 1) in contrast to simple helical tip of phallus in *S. fuscipes* (Drake 2021, Fig. 1b). *Syntormon drakei*, **sp. nov.** male has simple fore tarsus (Fig. 2) that

precludes him from being European *S. monilis* (Haliday, 1851) or *S. submonilis* Negrobov, 1975. Basal ventral branch on male hind basitarsus has species-specific setation in both *S. drakei*, **sp. nov.** (Figs. 3–4) and European species listed here (Drake 2021: Figs. 7k–7m). For further details of morphology, see description of *S. fuscipes* (*nec* von Roser) by Grichanov (2001).

**Etymology.** The name of the new species is dedicated to the English dipterist, Dr. C. Martin Drake (Axminster, Devon, UK), who supported my suggestion that the Afrotropical specimens represent an undescribed species.

**Type material.** Holotype ♂, Africa, Kenya, Mt. Kenya, Sirimon, Higher Moorland, 22–23.01.1971 (J. H. & M. Lourens). Paratypes: 1♀, same label as for holotype; 1♀, Africa, Kenya (J. H. & M. Lourens) / Mt. Kinangop, e. slope source, Mwathe Riv., Lower Moorland, 27.01.1971. Types will be deposited in the Zoological Museum, Amsterdam, Netherlands.

**Additional material.** 2♂, 1♀, Kenya: Aberdare Range, 10.1934, B.M. E.Afr. Exp., B.M. 1935–203 / Mt. Kinangop, 8000–10000 feet (F. W. Edwards) [Natural History Museum,



**Figs. 1–4.** *Syntormon drakei* Grichanov, **sp. nov.** Habitus (1); fore tarsus (2); hind basitarsus, ventral view (3); hind basitarsus, lateral view (4)

**Рис. 1–4.** *Syntormon drakei* Grichanov, **sp. nov.** Габитус (1); передняя лапка (2); задняя лапка, вид снизу (3); задняя лапка, вид сбоку (4)

London, UK]; 1♂, [Burundi]: Urundi, Bururi, alt. 1950 m, 8.01.1949 (F. François), R.I.Sc.N.B. I.G. 24452 [Royal Museum for Central Africa, Tervuren, Belgium].

**Distribution.** Type locality: Kenya, Mt. Kenya, Sirimon, Higher Moorland. *Afrotropical*: ?Burundi, Kenya.

**Notes.** The material was labeled as “*Syntormon fuscipes*, det. Grichanov”. The additional material was returned back to the host museums. Grichanov (2001) noted that the male collected from Burundi belongs to a different phenotype. It may represent another undescribed species. *Syntormon fuscipes* is excluded here from the Afrotropical fauna.

*Irwinus* Grichanov, 2023

*Irwinus* Grichanov, 2023: 84. Type species: *Irwinus irwini* Grichanov, 2023 (original designation).

*Irwinus irwini* Grichanov, 2023: 84. Type locality: South Africa: [Northern] Cape Prov., Hondeklipbaai, sea level, coastal dunes. *Afrotropical*: South Africa.

Subfamily Tenuopodinae Grichanov, 2018

*Tenuopus* Curran, 1924

*Tenuopus makarovi* Grichanov, 2021h: 103. Type locality: Tanzania: Morogoro Region, Udzungwa Mt. Nat. Park, Mito Mitatu. *Afrotropical*: Tanzania.

## References

*Remarks.* References published before 1 December 2020 and listed by previous catalogs are not included.

- Bickel, D. J. (2023) *Shamshevia hannahae*, a striking new species and biogeographical anomaly from Fiji (Diptera: Dolichopodidae: Diaphorinae). *Bishop Museum Occasional Papers*, no. 152, pp. 13–19. (In English)
- Dawah, H. A., Ahmad, S. K., Abdullah, M. A., Grichanov, I. Ya. (2020) The family Dolichopodidae (Diptera) of the Arabian Peninsula: identification key, an updated list of species and new records from Saudi Arabia. *Journal of Natural History*, vol. 54, no. 21–22, pp. 1425–1454. <https://doi.org/10.1080/00222933.2020.1800118> (In English)
- Drake, C. M. (2021) Comments on the taxonomic status of some British species of *Syntormon* Loew, 1857 (Diptera, Dolichopodidae). *Dipterists Digest (Second series)*, vol. 28, no. 1, pp. 17–44. (In English)
- El-Hawagry, M. S. A. (2023) The long-legged flies (Diptera: Dolichopodidae) in Egypt. *Egyptian Journal of Biological Pest Control*, vol. 33, article 16. <https://doi.org/10.1186/s41938-023-00661-8> (In English)
- Grichanov, I. Ya. (2001) Afrotropical *Syntormon* Loew and new synonyms in the genus *Rhaphium* Loew (Diptera: Dolichopodidae). *International Journal of Dipterological Research*, vol. 12, no. 4, pp. 181–194. (In English)
- Grichanov, I. Ya. (2018) *An annotated catalogue of Afrotropical Dolichopodidae (Diptera)*. Saint Petersburg: VIZR Publ., 152 p. (“Plant Protection News, Supplement”, no. 25). <http://doi.org/10.5281/zenodo.1187006> (In English)
- Grichanov, I. Ya. (2020) Afrotropical Dolichopodidae (Diptera) catalogue: Changes and corrections. *Amurskij Zoologicheskij Zhurnal — Amurian Zoological Journal*, vol. XII, no. 4, pp. 406–411. <https://doi.org/10.33910/2686-9519-2020-12-4-406-411> (In English)
- Grichanov, I. Ya. (2021a) Eleven new species of *Amblypsilopus* Bigot (Diptera: Dolichopodidae: Sciapodinae) and a key to the species of Madagascar and adjacent islands. *European Journal of Taxonomy*, vol. 755, pp. 47–87. <https://doi.org/10.5852/ejt.2021.755.1399> (In English)
- Grichanov, I. Ya. (2021b) New species and new records of the Afrotropical Sciapodinae (Diptera: Dolichopodidae). *Proceedings of the Russian Entomological Societ*, vol. 92, pp. 42–65. (In English)
- Grichanov, I. Ya. (2021c) Discovery of *Dytomyia* Bickel (Diptera: Dolichopodidae) on African continent with description of a new peculiar species from Kenya. *Israel Journal of entomology*, vol. 51, pp. 85–91. <https://doi.org/10.5281/zenodo.5589575> (In English)
- Grichanov, I. Ya. (2021d) Two new species of *Parentia* Hardy, 1935 (Diptera: Dolichopodidae) from South Africa. *Kavkazskij Entomologicheskij Byulleten’ — Caucasian Entomological Bulletin*, vol. 17, no. 2, pp. 325–332. <https://doi.org/10.23885/181433262021172-325332> (In English)

- Grichanov, I. Ya. (2021e) A new species of *Plagiozopelma* Enderlein, 1912 (Diptera: Dolichopodidae), with the description of a new species from Cameroon. *Journal of Insect Biodiversity*, vol. 28, no. 2, pp. 35–43. <https://doi.org/10.12976/jib/2021.28.2.1> (In English)
- Grichanov, I. Ya. (2021f) Genus *Mesorhaga* Schiner, 1868 (Diptera: Dolichopodidae) on Madagascar, with description of a new species. *Entomological Review*, vol. 101, no. 5, pp. 705–708. <https://doi.org/10.1134/S0013873821050109> (In English)
- Grichanov, I. Ya. (2021g) A new species the genus *Mesorhaga* Schiner, 1868 (Diptera: Dolichopodidae) from Tanzania, with a key to Afrotropical species. *Far Eastern Entomologist*, no. 435, pp. 1–6. <https://doi.org/10.25221/fee.435.1> (In English)
- Grichanov, I. Ya. (2021h) A new species of *Tenuopus* Curran, 1924 (Diptera: Dolichopodidae) from Tanzania. *Russian Entomological Journal*, vol. 30, no. 1, pp. 103–105. <https://doi.org/10.15298/rusentj.30.1.13> (In English)
- Grichanov, I. Ya. (2022a) A new species of *Hercostomus* Loew, 1857 (Diptera: Dolichopodidae) from Tanzania. *Russian Entomological Journal*, vol. 31, no. 2, pp. 191–193. <https://doi.org/10.15298/rusentj.31.2.18> (In English)
- Grichanov, I. Ya. (2022b) Discovery of the genus *Griphophanes* Grootaert et Meuffels in Cameroon (Diptera: Dolichopodidae). *Russian Entomological Journal*, vol. 31, no. 3, pp. 293–296. <https://doi.org/10.15298/rusentj.31.3.11> (In English)
- Grichanov, I. Ya. (2022c) Six new species of *Amblypsilopus* Bigot (Diptera: Dolichopodidae: Sciapodinae) and a key to species of the Afrotropical mainland. *European Journal of Taxonomy*, vol. 789, pp. 49–80. <https://doi.org/10.5852/ejt.2022.789.1631> (In English)
- Grichanov, I. Ya. (2022d) A new species of *Campsicnemus* Haliday (Diptera: Dolichopodidae) from South Africa and a key to continental Afrotropical species. *Euroasian Entomological Journal*, vol. 21, no. 4, pp. 239–242. <https://doi.org/10.15298/euroasentj.21.4.10> (In English)
- Grichanov, I. Ya. (2023) *Irwinus*, a new genus of long-legged flies from South Africa (Diptera: Dolichopodidae: Sympycninae). *Russian Entomological Journal*, vol. 32, no. 1, pp. 83–88. <https://doi.org/10.15298/rusentj.32.1.10> (In English)
- Grootaert, P., Van de Velde, I. (2021) Understanding the tangled taxonomy of the genus *Pseudohercostomus* Stackelberg, 1931 (Insecta: Diptera: Dolichopodidae) with description of new species from Singapore and DR Congo. *The Raffles Bulletin of Zoology*, vol. 69, pp. 324–335. <https://doi.org/10.26107/RBZ-2021-0055> (In English)
- Rossi, W. (1986) Una nuova specie di Stigmatomyces (Laboulbeniales) rinvenuta su un dittero del Sudan. *Bollettino del Museo Civico di Storia Naturale di Venezia*, vol. 35, pp. 163–165. (In Italian)
- Rossi, W., Leonardi, M. (2018) New species and new records of Laboulbeniales (Ascomycota) from Sierra Leone. *Phytotaxa*, vol. 358, no. 2, pp. 91–116. <https://doi.org/10.11646/phytotaxa.358.2.1> (In English)

**For citation:** Grichanov, I. Ya. (2023) Afrotropical Dolichopodidae (Diptera) Catalog: Second addition with description of a new *Syntormon* species from Kenya. *Amurian Zoological Journal*, vol. XV, no. 2, pp. 308–315. <https://www.doi.org/10.33910/2686-9519-2023-15-2-308-315>

**Received** 3 April 2023; reviewed 11 April 2023; accepted 12 April 2023.

**Для цитирования:** Гричанов, И. Я. (2023) Аннотированный каталог афротропических Dolichopodidae (Diptera): второе дополнение с описанием нового вида *Syntormon* из Кении. *Амурский зоологический журнал*, т. XV, № 2, с. 308–315. <https://www.doi.org/10.33910/2686-9519-2023-15-2-308-315>

**Получена** 3 апреля 2023; прошла рецензирование 11 апреля 2023; принята 12 апреля 2023.